


EPIKA

2 x 2 Mosaic

thickness
9.0 mm

prod no.	prod name	approximate size
SP 98024M	Epika Shell	12 x 12
SP 98124M	Epika Almond	12 x 12
SP 98224M	Epika Caramel	12 x 12
SP 98324M	Epika Pearl	12 x 12
SP 98424M	Epika Grey	12 x 12

lbs/sheet	sheet/ctn	sf/ctn
4.10	10	9.68



Epika Shell



Epika Almond



Epika Caramel



Epika Pearl



Epika Grey

COLOR BODY Color Body Porcelain

5 COMMERCIAL  FROST RESISTANT!

D.C.O.F
.54

standard is
>.42

R9



V2 Slight

Recommended Joint: MINIMUM 2mm (± 3/32") for ALL RECTIFIED tiles!



When set Staggered 6" - 8" offset RECOMMENDED



1/2 offset NOT Recommended


EPIKA

prod no.	prod name	size
SP 98024	Epika Shell	12 x 24
SP 98124	Epika Almond	12 x 24
SP 98224	Epika Caramel	12 x 24
SP 98324	Epika Pearl	12 x 24
SP 98424	Epika Grey	12 x 24

12 x 24 rectified **9.0 mm** thickness

lbs/sf	pc/ctn	sf/ctn	ctn/pllt	sf/pllt
4.20	7	13.56	40	542.40

special pieces	size
SBN	3 3/4 x 24



3 3/4 x 24 SBN



Epika Almond and Epika Almond MARK



Epika Caramel

EPIKA



Epika Shell



Epika Almond



Epika Pearl




Epika Grey

EPIKA

prod no.	prod name	size
SP 98048	Epika Shell	24 x 48
SP 98148	Epika Almond	24 x 48
SP 98348	Epika Pearl	24 x 48

24 x 48 rectified **thickness 9.0 mm**

lbs/sf	pc/ctn	sf/ctn	ctn/pllt	sf/pllt
4.20	2	15.49	35	542.15



Epika Shell 24 x 48



Epika Pearl 24 x 48



Epika Almond 24 x 48

prod name	size
Epika 24 x 24	24 x 24
Epika 48 x 48	48 x 48

Special Order Sizes **thickness 9.0 mm**

lbs/sf	pc/ctn	sf/ctn	ctn/pllt	sf/pllt
4.20	3	11.62	40	464.83
4.20	2	30.99	20	619.80