

NEW!

PRESTIGE

12 x 24 LUX rectified/polished thickness 10.0 mm

prod no.	prod name	size	lbs/sf	pc/ctn	sf/ctn	ctn/pllt	sf/pllt
CF 1024	Prestige Borghini LUX	12 x 24	4.60	6	11.62	40	464.80
CF 1224	Prestige Arabascato LUX	12 x 24					


special pieces	size
SBN	3 x 24



3 x 24 SBN



Borghini Lux 12 x 24



Arabascato Lux 12 x 24

PORCELAIN


Glazed Porcelain

4

RESIDENTIAL



FROST RESISTANT!



V2 Slight

Recommended Joint: **MINIMUM 2mm (± 3/32")** for ALL RECTIFIED tiles!



6" - 8" offset RECOMMENDED



1/2 offset NOT Recommended

PRESTIGE

NEW!



Prestige Borghini LUX 30 x 60



Prestige Arabascato LUX 30 x 60

Colors and Aesthetical features in this catalogue are to be regarded as indications. Please refer to physical samples for clarification.

NEW!

PRESTIGE

30 x 30 LUX rectified/polished thickness 10.0 mm

prod no.	prod name	size	lbs/sf	pc/ctn	sf/ctn	ctn/pllt	sf/pllt
CF 1030	Prestige Borghini LUX	29 x 29	4.80	2	11.78	42	494.76
CF 1230	Prestige Arabascato LUX	29 x 29					


special pieces	size
SBN	3 x 24



3 x 24 LUX SBN



Borghini Lux 30 x 30



Arabascato Lux 30 x 30

30 x 60 LUX rectified/polished thickness 10.0 mm

prod no.	prod name	size	lbs/sf	pc/ctn	sf/ctn	ctn/pllt	sf/pllt
CF 1060	Prestige Borghini LUX	29 x 58	4.80	1	11.78	24	282.72
CF 1260	Prestige Arabascato LUX	29 x 58					

PRESTIGE

NEW!



Prestige Arabascato LUX 30 x 60